	1 2 2			
Notice of Allowability	Application No.	Applicant(s)		
	09/631,964	UEDA ET AL.		
	Examiner	Art Unit		
	Prasad R Akkapeddi	2871		
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comm IGHTS. This application is	in this application. If not includ nunication will be mailed in due	led course. <b>THIS</b>	
1. This communication is responsive to <u>11/05/2003</u> .				
2. The allowed claim(s) is/are <u>5</u> .				
<ul> <li>3.  ☐ The drawings filed on 03 August 2000 are accepted by the</li> <li>4. ☐ Acknowledgment is made of a claim for foreign priority und</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> </ul>		or (f).		
1.  Certified copies of the priority documents have been received.				
2. Certified copies of the priority documents have been received in Application No				
<ol> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol>				
* Certified copies not received:				
5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).				
(a) The translation of the foreign language provisional application has been received.				
6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
<ul> <li>8.          CORRECTED DRAWINGS must be submitted.         (a)          including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1)          hereto or 2)          to Paper No</li> </ul>				
(b) including changes required by the proposed drawing correction filed, which has been approved by the Examiner.				
(c) 🔲 including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.				
9.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)				
1 Notice of References Cited (PTO-892)	2□ Notice	of Informal Patent Application (	PTO-152)	
3 Notice of Draftperson's Patent Drawing Review (PTO-948)	4⊠ Interview Summary (PTO-413), Paper No. <u>1105</u> <b>¢</b> 3			
5⊠ Information Disclosure Statements (PTO-1449), Paper No.	formation Disclosure Statements (PTO-1449), Paper No. 09€203 6⊠ Examiner's Amendment/Comment			
7☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examin 9⊡ Other	er's Statement of Reasons for	Allowance	

Application/Control Number: 09/631,964 Page 2

Art Unit: 2871

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Joseph A. Rhoa on 11/05/2003.

The application has been amended as follows:

In the Claims

- (a) Cancel claims 1-4 and 6-12.
- (b) In claim 5, line 23, after "electrically connecting", -- the other one of the source region and drain region of the semiconductor thin film has been inserted.
- (c) In claim 5, lines 23-25, "an auxiliary capacitance electrode region lead to the other one of the source region and the drain region of the semiconductor thin film" has been deleted.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Prasad R. Akkapeddi whose telephone number is (703) 305-4767.

Application/Control Number: 09/631,964 Page 3

Art Unit: 2871

## **DETAILED ACTION**

## Response to Arguments

2. Applicant's arguments, see Amendment, filed 10/20/2003, with respect to claim 5 have been fully considered and are persuasive. The final rejection of 03/20/2003 and the has been withdrawn.

## Allowable Subject Matter

- 3. Claim 5 is allowed.
- 4. The following is an examiner's statement of reasons for allowance:

A search of the prior art did not disclose a transmission type liquid crystal display device comprising a combination of structural elements, more specifically:

(a) A first contact hole for electrically connecting either one of the source region and drain region of the semiconductor thin film to the signal wiring, a second contact hole for electrically connecting the other one of the source region and the drain region of the semiconductor thin film to the lead electrode and a third contact hole for electrically connecting the lead electrode to the pixel electrode.

The prior art Dohjo et al. (U.S.Patent No. 6,078,366), as successfully argued by the applicant, does not disclose the electrical connection of the contact holes to the specified structural elements.

Application/Control Number: 09/631,964 Page 4

Art Unit: 2871

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Prasad R Akkapeddi whose telephone number is 703-305-4767. The examiner can normally be reached on 7:00AM to 5:30PM M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert H Kim can be reached on 703-305-3492. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0530.

lh &

Prasad R Akkapeddi Examiner Art Unit 2871